

1078.D3

ABSTRACT FORM
SECOND WORLD CONGRESS ON PAIN of the INTERNATIONAL ASSOCIATION FOR
THE STUDY OF PAIN

(Montreal, Canada—August 27 to September 1, 1978)

DEADLINE: **Deadline for receipt of abstracts in Los Angeles is JANUARY 15, 1978**
Read all instructions. See sample abstract on reverse side

CRANIAL SUTURE MORPHOLOGY. E.W. Retzlaff, J.E. Upledger & J.D. Vredevoogd.
Dept. of Biomechanics, College of Osteopathic Medicine, Michigan State
University, E. Lansing, MI 48824, USA.

The sutures of the cranial bones in primates, including man, consist of a highly vascularized matrix of connective tissue. The most prominent connective tissue consists of bundles of collagen fibers which seem to have a random pattern of distribution but can be traced from one cranial bone to the opposite bone. Frequently, these bundles penetrate the bone, as Sharpey's fibers, where they end in a fimbriated pattern. The collagenous bundles may display a wavy pattern in some parts of the suture which suggest that they are in a contracted state. A second type sutural connective tissue is a reticulum which accompanies the collagenous bundles throughout the suture and also penetrates the bone as a part of the Sharpey's fiber system. These reticular fibers may serve to anchor the Sharpey's bundles in the bone. Elastin tissue is also evident in the sutures. In addition to wind around the capillaries. Other elastic fibers are evident along the surface of the collagenous bundles. In areas where the elastic fibers zig-zag along the collagen bundles, it is possible that they provide a contractile mechanism to shorten them.

There are 5 types of nerve fibers entering the parieto-parietal suture which appear to have traversed the wall of the superior sagittal sinus before entering the suture proper. Individual nerve fibers separate from the bundle and follow the blood vessels through the suture. 1) Some extend outward and in all probability terminate in the scalp. 2) Some accompany the collagenous bundles and enter the bone with the Sharpey's fibers, which follow the Haversian canal system. 3) Some fibers appear to end around the base of the penetrating Sharpey's fiber bundle. 4) Some terminate as Golgi tendon organs. 5) There are free-endings on the blood vessels.

PRESENTATION PREFERENCE:

(All abstracts will be published in the Congress abstract book regardless of type of presentation).

Please place an "X" before the type of presentation you prefer:

- Poster presentation
 Slide presentation

If your preferred type of presentation is not available which do you desire?


- Accept other type
 Withdraw abstract

Each Abstract Form submitted

MUST BE SIGNED BY A MEMBER of the International Association for the Study of Pain. (Note: Each member may sign only **ONE** abstract form, either as an author or as a sponsor of a non-member).

Member's Name: Ernest W. Retzlaff, Ph.D.
please type

Member's
Signature



For Best Results
DO NOT REFOLD THIS SHEET
(Use cardboard backing to avoid damage in the mail).

Mail ORIGINAL plus four (4)
PHOTOCOPIES to:

John C. Liebeskind, Ph.D.
Department of Psychology
UCLA, Franz Hall
Los Angeles, CA 90024 U.S.A.

Name and Complete Mailing Address of
AUTHOR WHO WILL DELIVER THE PRESENTATION:

Ernest W. Retzlaff, Ph.D.
Dept. of Biomechanics, College of Osteopathic Medicine
A-414 E. Fee Hall, Michigan State University
E. Lansing, MI 48824
Telephone No. 517-353-9113

Abstracts must be received in Los Angeles
NO LATER THAN JANUARY 15, 1978

ABSTRACT FORM

1978 American Osteopathic Association Research Conference

March 16-18, Chicago, Illinois

1. First Author Ernest W. Retzlaff, Ph.D. Institution MSU/COM - Dept. of Biomechanics
2. Second Author Fred Mitchell, Jr., D.O. Institution MSU/COM - Dept. of Biomechanics
3. Third Author John E. Upledger, D.O. Institution MSU/COM - Dept. of Biomechanics
4. Fourth Author Thomas Biggert Institution MSU/COM - Dept. of Biomechanics
J. Vredevoogd MSU/ Human Environment &
5. Person who will present this paper, if oral presentation is desired: Design.
E.W. Retzlaff
6. Title: Temporalis Muscle Action In Parieto-Temporal Suture Compression.
7. Abstract

The muscles of mastication in primates are a powerful group which move the mandible in acts of biting, chewing and vocalization. The temporalis muscle is the largest of the group. In humans it originates, as a wide fan shaped muscle, from a broad band along the posterior and superior portions of the temporal fossa, which are on the parietal and frontal bones, respectively. In some primates, it originates higher, and more extensively, on the parietal bone. It narrows to form a tendinous insertion on the coronoid bone surface and the anterior border of the mandible near the last molar. Its anterior fibers serve to close the mouth. The posterior fibers draw the mandible posteriorly. The above description has been abstracted from Gray's Anatomy, 35th British edition, Saunders Phil. 1973, (page 501), considers only mandibular movement as the function of the temporalis muscle. Our study of the gross and micro architectural design indicates that when the teeth are tightly approximated contraction of the temporalis will draw the parietal bone downward. The parieto-temporal suture is classified as a squamous type which permit the two surfaces to slide upon each other. Accordingly the nerve fibers and vasculature will be compressed when the temporalis contracts. It is known that an area which is ischemic will become painful due to the local effect on the sympathetic (autonomic) perivascular plexus. Also, the Golgi type IV sensory endings in the suture will be compressed, which will contribute to localized and more distant referred pain. In an earlier paper (Retzlaff et al, JAOA 73:53-63, 1974) it was suggested that compression of nerve fibers and/or blood vessels by contracture of the piriformis muscle will cause either localized and/or distant referred pain. Supported in part by grants from the AOA Bureau of Research, The Cranial Academy, and BS-GRS.

8. Name, address and phone number of person to whom correspondence about this paper should be addressed.

Name Ernest W. Retzlaff

Phone 517-353-9113

Address A-414 East Fee Hall, Dept. of Biomechanics
Michigan State University
East Lansing, MI 48824

INSTRUCTIONS FOR ABSTRACT FORM FOR THE 1978 AOA RESEARCH CONFERENCE

Deadline for Receipt of the Completed Form is January 15, 1978

Read instructions throughly before you begin to type this special form. The opposite side of this form is for the identification information and abstracts for the 1978 American Osteopathic Association Research Conference. This information will be reproduced for the conference program books. Remember that the abstract will appear in the program exactly as you submit it; any errors, erasures, smudges, misspellings, poor hyphenations and deviations from good usage will be glaringly evident. Follow all instructions below to the letter and supply all required information, including that on this side below. Any forms not properly completed will be returned. RETURN ONLY THE ORIGINAL FORM, BUT KEEP A COPY FOR YOURSELF.

Instructions for preparation of abstract form:

A. Use a typewriter, preferably electric with ELITE type. Clean type before using. Use a carbon ribbon, or a fairly new good quality, BLACK ribbon. (A new ribbon may smudge; an old ribbon may be too faint).

B. Single space all typing. Use short, specific titles. The abstract should be a single paragraph, starting with a 3-space indentation. Leave no top for left margin within the rectangle. Use standard abbreviations. Capitalize the first letter of trade names. The abstract itself must fit into the rectangle provided. It will be approximately 200 words. If you desire a 30-minute presentation, the abstract should provide evidence of a larger body of material to be presented.

C. Your abstract should be of the informative type, containing: (a) a sentence statement of the study's specific objective, unless this is given by the title; (b) brief statement of methods, if pertinent; (c) a summary of the results obtained; (d) a statement of the conclusion. It is NOT satisfactory to state: "The results will be discussed." Any special symbols, such as Greek letters, that are not on your typewriter must be drawn by hand in BLACK ink.

D. If you are affiliated with an osteopathic school, submit the completed form to your institutional program representative before the deadline. If you are not so affiliated, submit the form directly to the Conference Program Chairman, John F. Gaugl, Ph.D., Department of Physiology, Texas College of Osteopathic Medicine, Box 13046, Denton, Tex. 76203, by the January 15 deadline.

Information Continued From Opposite Side

9. Check here if your paper is for: (a) oral presentation x; (b) poster presentation _____; (c) or if you wish your paper to be read by title only if it is not accepted _____;

10. Number of minutes desired for your paper if it is to be oral.
15 x 30 _____

11. Audiovisual equipment desired if other than 2 x 2 or 3 1/4 x 4 slide projectors. _____

12. List two topics into which your paper would fall, in order of preference, from the list below: 4 _____ 5 _____

1. Osteopathic theory;
2. Osteopathic technique;
3. Physiology;
4. Neurophysiology-neuroanatomy;
5. Anatomy
6. Biochemistry;
7. Microbiology;
8. Pharmacology;
9. Psychology;
10. Clinical practice;
11. Other (specify)

ABSTRACT FORM

1978 American Osteopathic Association Research Conference

March 16-18, Chicago, Illinois

1. First Author Zvi Karni, Ph.D. Institution MSU/COM - Dept. of Biomechanics
2. Second Author Uri Dinnar, Ph.D. Institution MSU/COM - Dept. of Biomechanics
3. Third Author Fred Mitchell, Jr., D.O. Institution MSU/COM - Dept. of Biomechanics
4. Fourth Author John E. Upledger, D.O. Institution MSU/COM - Dept. of Biomechanics
5. Person who will present this paper, if oral presentation is desired:
Z. Karni and/or U. Dinnar
6. Title: Mechanical and Material Descriptors for Sacroiliac Treatments
7. Abstract

The osteopathic treatment of sacroiliac dysfunctions involves the application of external forces and/or mechanical displacements by the physician. After the initial evaluation of sacroiliac mobility, the physician will gain further information by either applying forces manually at specific points over the sacrum, or by attempting to mobilize the sacral bone. By both approaches, the sacrum, which articulates between the ilia, because of the material properties of the anchoring ligaments and tissues, may be moved. The ligament and tissue attachments, in turn, exhibit different behaviors under the various conditions of induced stresses and displacements. They might exhibit an immediate elastic property, or an elasticity coupled with the damping effect of viscosity - namely a viscoelastic - type of behavior. Another possibility is a motion effected only when the stresses exceed a certain yielding point, which is the plastic property. Evidently, and even more frequently, combinations of these properties will be observed. The physician, who anticipates a certain responsive mechanical behavior to his input (palpatory procedure) uses the response of the output (material properties) as a feedback in a closed cycle control system and remodifies his procedure and eventually also the intensity of his induced input stimuli in the continuation of the treatment. Follow up of a few sacroiliac treatments shows how the material properties serve as descriptors and furnish a model by which the procedure of the treatment is guided, controlled and performed.

8. Name, address and phone number of person to whom correspondence about this paper should be addressed.

Name Z. Karni or U. Dinnar Address Dept. of Biomechanics, E. Fee Hall
 Phone (517) 355-1740/353-9544 Michigan State University
East Lansing, MI 48824

ABSTRACT FORM
SECOND WORLD CONGRESS ON PAIN of the INTERNATIONAL ASSOCIATION FOR
THE STUDY OF PAIN

(Montreal, Canada—August 27 to September 1, 1978)

DEADLINE: **Deadline for receipt of abstracts in Los Angeles is JANUARY 15, 1978**
Read all instructions. See sample abstract on reverse side

CRANIAL SUTURE PAIN. J.E. Upledger & E.W. Retzlaff, Dept. of Biomechanics, College of Osteopathic Medicine, Michigan State University, E. Lansing, MI 48824, USA.

Recent study of the cranial intrasutural contents has revealed the presence of elastic and collagen fibers, of a vascular network, and of various neurostructures. The presence of these structures suggests mechanisms whereby pain can result from sutural dysfunction or injury. The neuroreceptors and neurovasorum seen are consistent with the concept of input into the autonomic nervous system which is heavily involved in pain mechanisms.

Innervation to collagen-elastic fiber complexes within the suture, further suggests a motor controlled contractile characteristic for these tissues. This finding supports the possibility of a cranial suture mobility. In the contracted state the collagen-elastic fiber complex would result in sutural compressions. This compression would in turn cause neurostimulation and intrasutural ischemia both due to increased intrasutural pressure.

Slides of human tissue will be shown which demonstrate these newly located intracranial structures as well as the absence of intrasutural calcification.

The clinical ramifications and various therapeutic applications will be discussed.

PRESENTATION PREFERENCE:

(All abstracts will be published in the Congress abstract book regardless of type of presentation).

Please place an "X" before the type of presentation you prefer:

- Poster presentation
 Slide presentation

If your preferred type of presentation is not available which do you desire?

- Accept other type
 Withdraw abstract

Each Abstract Form submitted **MUST BE SIGNED BY A MEMBER** of the International Association for the Study of Pain. (Note: Each member may sign only **ONE** abstract form, either as an author or as a sponsor of a non-member).

Member's Name: John E. Upledger, D.O.

Member's
Signature: *John E. Upledger*

please type

For Best Results
DO NOT REFOLD THIS SHEET
(Use cardboard backing to avoid damage in the mail).

Mail ORIGINAL plus four (4) PHOTOCOPIES to:

John C. Liebeskind, Ph.D.
Department of Psychology
UCLA, Franz Hall
Los Angeles, CA 90024 U.S.A.

Name and Complete Mailing Address of
AUTHOR WHO WILL DELIVER THE PRESENTATION:

John E. Upledger, D.O.

Dept. of Biomechanics, College of Osteopathic Medicine

A-433 East Fee Hall, Michigan State University,

E. Lansing, MI 48824

Telephone No. 517-355-0320

Abstracts must be received in Los Angeles
NO LATER THAN JANUARY 15, 1978

ABSTRACT FORM

1978 American Osteopathic Association Research Conference

March 16-18, Chicago, Illinois

1. First Author John E. Upledger, D.O. Institution Michigan State University
2. Second Author _____ Institution _____
3. Third Author _____ Institution _____
4. Fourth Author _____ Institution _____
5. Person who will present this paper, if oral presentation is desired:
John E. Upledger, D.O.
6. Title: The Relationship Between Craniosacral Examination Findings and the Problems of Special Education Students.
7. Abstract

A mixed sample of elementary school children were examined "blind" by the author. This sample contained: (1) children who were considered academically and behaviorally "normal" by school officials and educators; (2) learning disabled children; (3) emotionally impaired children; and (4) children with motor coordination impairments. The relationship between craniosacral dysfunctions uncovered by physical examination and these four classifications were studied by statistical analysis of data.

Historical data related to: (1) obstetrical complications; (2) head injuries; (3) seizure histories; and (4) history of ear problems were also collected. Statistical analysis for relationship between these data and craniosacral dysfunctions was also carried out.

The results of a search for craniosacral dysfunction pattern relationships and specific positive findings in the above categories will be presented.

In general, the results of this study support the presence of a positive relationship between the problems of special education (exceptional) students and craniosacral dysfunction. It does not mean that a cause-effect relationship necessarily underlies this coexistence. Both craniosacral dysfunction and the problems of special education students may be symptoms of another more primary etiology.

8. Name, address and phone number of person to whom correspondence about this paper should be addressed.

Name John E. Upledger, D.O. Address Dept. Biomechanics, MSU, E. Lansing, MI
Phone (517) 355-0320 48824

ABSTRACT FORM

1978 American Osteopathic Association Research Conference

March 16-18, Chicago, Illinois

1. First Author John E. Upledger Institution Michigan State University
2. Second Author Zvi Karni Institution Michigan State University
3. Third Author Ernest Retzlaff Institution Michigan State University
4. Fourth Author _____ Institution _____
5. Person who will present this paper, if oral presentation is desired:
John E. Upledger, D.O.
6. Title: Mechanoelectrically Recorded Physiological Patterns Which Relate To Subjectively Reported Craniosacral Mechanism Phenomena.
7. Abstract

Previous work in this area of investigation was reported by the authors at the 1977 AOA Bureau of Research Conference. The purpose of the work is to record, objectively, changes in physiological parameters which either support or refute the subjective impressions of the physician, reported during the course of craniosacral osteopathic manipulative therapy.

The original investigation yielded results that suggested specific patterns of change in respiratory activity and of voltage potential of the legs of the patient which occur concurrently with subjective impressions of change in craniosacral mechanism function. The physician was reporting "blind" and the objectively measured changes usually preceded these subjective impressions by one or two seconds. These circumstances suggested that subjectively perceived craniosacral mechanism changes are accompanied by objectively measured and characteristic changes in physiological activity.

This second phase of the investigative work does confirm the coexistence of the above described impressions and phenomena.

Name, address and phone number of person to whom correspondence about this paper should be addressed.

Name John E. Upledger, D.O. Address Dept. Biomechanics, MSU, E. Lansing, MI 48824
Phone (517) 355-0320

