

**Did You Know
that
Concussion
Increases the Risk of:**

1. Homelessness?
2. Substance Abuse?
3. Mental Health Problems?
 - Depression
 - Anxiety and Panic Disorders
 - Psychosis
 - PTSD
 - Psychosis
 - Personality Disorders
4. Suicide?
5. Dementia?
6. ADHD?
7. Learning Difficulties?
8. Aggression?
9. Incarceration?

**EVERYTIME YOU
BRING YOUR THERAPEUTIC PRESENCE
AND
YOUR LISTENING HANDS TO A CONCUSSED INDIVIDUAL,
YOU DO MORE THAN YOU KNOW.
YOU MAY CHANGE THE
TRAJECTORY
of THEIR
LIFE!**

Did You Know References

Homelessness

Andersen J, Kot N, Ennis N, Colantonio A, Ouchterlony D, Cusimano MD, Topolovec-Vranic J. Traumatic brain injury and cognitive impairment in men who are homeless. *Disabil Rehabil.* 2014;36(26):2210-5.

Baur C, Steinbach T, Spann W. Stirnhirnbefunde bei chronisch Nichtsesshaften [Frontal lobe changes in vagabonds]. *Beitr Gerichtl Med.* 1986;44:407-12. German.

Beijer U, Andréasson S. Physical diseases among homeless people: gender differences and comparisons with the general population. *Scand J Public Health.* 2009 Jan;37(1):93-100.

Cusimano MD, Korman MB, Carpino M, Feher A, Puvirajasingam J, Zhang S, Hwang SW, Tepperman L. The Temporal Relations of Traumatic Brain Injury, Victimization, Aggression, and Homelessness: A Developmental Trajectory. *Neurotrauma Rep.* 2021 Feb 22;2(1):103-114.

Cusimano MD, Saha A, Zhang D, Zhang S, Casey J, Rabski J, Carpino M, Hwang SW. Cognitive Dysfunction, Brain Volumes, and Traumatic Brain Injury in Homeless Persons. *Neurotrauma Rep.* 2021 Mar 5;2(1):136-148.

Ennis N, Roy S, Topolovec-Vranic J. Memory impairment among people who are homeless: a systematic review. *Memory.* 2015;23(5):695-713.

Padgett DK, Struening EL. Victimization and traumatic injuries among the homeless: associations with alcohol, drug, and mental problems. *Am J Orthopsychiatry.* 1992 Oct;62(4):525-34.

Schmitt T, Thornton AE, Rawtaer I, Barr AM, Gicas KM, Lang DJ, Vertinsky AT, Rauscher A, Procyszyn RM, Buchanan T, Cheng A, MacKay S, Leonova O, Langheimer V, Field TS, Heran MK, Vila-Rodriguez F, O'Connor TA, MacEwan GW, Honer WG, Panenka WJ. Traumatic Brain Injury in a Community-Based Cohort of Homeless and Vulnerably Housed Individuals. *J Neurotrauma.* 2017 Dec 1;34(23):3301-3310.

Shen M. Study finds half of homeless have a traumatic brain injury | KOMO (komonews.com) Accessed June 19, 2021.

Topolovec-Vranic J, Ennis N, Howatt M, Ouchterlony D, Michalak A, Masanic C, Colantonio A, Hwang SW, Kontos P, Stergiopoulos V, Cusimano MD. Traumatic brain injury among men in an urban homeless shelter: observational study of rates and mechanisms of injury. *CMAJ Open.* 2014 Apr 25;2(2):E69-76.

Topolovec-Vranic J, Cullen N, Michalak A, Ouchterlony D, Bhalerao S, Masanic C, Cusimano MD. Evaluation of an online cognitive behavioural therapy program by patients with traumatic brain injury and depression. *Brain Inj.* 2010;24(5):762-72.

Topolovec-Vranic J, Ennis N, Colantonio A, Cusimano MD, Hwang SW, Kontos P, Ouchterlony D, Stergiopoulos V. Traumatic brain injury among people who are homeless: a systematic review. *BMC Public Health.* 2012 Dec 8;12:1059.

Topolovec-Vranic J, Ennis N, Ouchterlony D, Cusimano MD, Colantonio A, Hwang SW, Kontos P, Stergiopoulos V, Brenner L. Clarifying the link between traumatic brain injury and homelessness: workshop proceedings. *Brain Inj.* 2013;27(13-14):1600-5.

Stubbs JL, Thornton AE, Sevic JM, Silverberg ND, Barr AM, Honer WG, Panenka WJ. Traumatic brain injury in homeless and marginally housed individuals: a systematic review and meta-analysis. *Lancet Public Health.* 2020 Jan;5(1):e19-e32.

University of British Columbia. "One in two homeless people may have experienced a head injury in their lifetime: Almost one in four may have experienced a head injury that is moderate or severe." *ScienceDaily.* www.sciencedaily.com/releases/2019/12/191203094821.htm (accessed June 19, 2021)

Aggression

Cusimano MD, Holmes SA, Sawicki C, Topolovec-Vranic J. Assessing aggression following traumatic brain injury: a systematic review of validated aggression scales. *J Head Trauma Rehabil.* 2014 Mar-Apr;29(2):172-84.

Dailey NS, Smith R, Bajaj S, Alkozei A, Gottschlich MK, Raikes AC, Satterfield BC, Killgore WDS. Elevated Aggression and Reduced White Matter Integrity in Mild Traumatic Brain Injury: A DTI Study. *Front Behav Neurosci.* 2018 Jun 27;12:118.

Gaetz M. The multi-factorial origins of Chronic Traumatic Encephalopathy (CTE) symptomology in post-career athletes: The athlete post-career adjustment (AP-CA) model. *Med Hypotheses.* 2017 May;102:130-143.

Gallant C, Barry N, Good D. Physiological underarousal as a mechanism of aggressive behavior in university athletes with a history of concussion. *Brain Behav.* 2018 Aug;8(8):e01038.

Goswami R, Dufort P, Tartaglia MC, Green RE, Crawley A, Tator CH, Wennberg R, Mikulis DJ, Keightley M, Davis KD. Frontotemporal correlates of impulsivity and machine learning in retired professional athletes with a history of multiple concussions. *Brain Struct Funct.* 2016 May;221(4):1911-25

Ilie G, Mann RE, Ialomiteanu A, Adlaf EM, Hamilton H, Wickens CM, Asbridge M, Rehm J, Cusimano MD. Traumatic brain injury, driver aggression and motor vehicle collisions in Canadian adults. *Accid Anal Prev.* 2015 Aug;81:1-7.

Mosti C, Coccaro EF. Mild Traumatic Brain Injury and Aggression, Impulsivity, and History of Other- and Self-Directed Aggression. *J Neuropsychiatry Clin Neurosci.* 2018 Summer;30(3):220-227.

Terpstra AR, Vasquez BP, Colella B, Tartaglia MC, Tator CH, Mikulis D, Davis KD, Wennberg R, Green REA. Comprehensive Neuropsychiatric and Cognitive Characterization of Former Professional Football Players: Implications for Neurorehabilitation. *Front Neurol.* 2019 Aug 7;10:712.

Thorpe D. Concussion, Chronic Traumatic Encephalopathy and Sport in a Legal Setting. *J Law Med.* 2019 Dec;27(2):294-315.

Upledger JE. CranioSacral Therapy. Seattle: Eastland Press; 1983. p 120.

Wortzel HS, Arciniegas DB. A forensic neuropsychiatric approach to traumatic brain injury, aggression, and suicide. *J Am Acad Psychiatry Law.*

Mental Health

Finkbeiner NW, Max JE, Longman S, Debert C. Knowing What We Don't Know: Long-Term Psychiatric Outcomes following Adult Concussion in Sports. *Can J Psychiatry.* 2016 May;61(5):270-6.

Gaetz M. The multi-factorial origins of Chronic Traumatic Encephalopathy (CTE) symptomology in post-career athletes: The athlete post-career adjustment (AP-CA) model. *Med Hypotheses.* 2017 May;102:130-143.

Gornall A, Takagi M, Morawakage T, Liu X, Anderson V. Mental health after paediatric concussion: a systematic review and meta-analysis. *Br J Sports Med.* 2021 Apr 29; bjsports-2020-103548.

Knell G, Burkhart SO, Caze TJ, Polousky JD, Kohl HW 3rd, Messiah SE. Association Between Concussion History and Factors Relating to Cognitive, Behavioral, and Emotional Health Among American High School Athletes: A Cross-sectional Analysis. *Am J Sports Med.* 2020 Aug;48(10):2534-2543.

Kontos AP, Deitrick JM, Reynolds E. Mental health implications and consequences following sport-related concussion. *Br J Sports Med.* 2016 Feb;50(3):139-40.

Manley G, Gardner AJ, Schneider KJ, Guskiewicz KM, Bailes J, Cantu RC, Castellani RJ, Turner M, Jordan BD, Randolph C, Dvořák J, Hayden KA, Tator CH, McCrory P, Iverson GL. A systematic review of potential long-term effects of sport-related concussion. *Br J Sports Med.* 2017 Jun;51(12):969-977.

Morissette MP, Prior HJ, Tate RB, Wade J, Leiter JRS. Associations between concussion and risk of diagnosis of psychological and neurological disorders: a retrospective population-based cohort study. *Fam Med Community Health.* 2020 Jul;8(3):e000390.

Rice SM, Parker AG, Rosenbaum S, Bailey A, Mawren D, Purcell R. Sport-Related Concussion and Mental Health Outcomes in Elite Athletes: A Systematic Review. *Sports Med.* 2018 Feb;48(2):447-465.

Ströhle A. Sports psychiatry: mental health and mental disorders in athletes and exercise treatment of mental disorders. *Eur Arch Psychiatry Clin Neurosci.* 2019 Aug;269(5):485-498.

Topolovec-Vranic J, Zhang S, Wong H, Lam E, Jing R, Russell K, Cusimano MD; Canadian Brain Injury and Violence Research Team. Recognizing the Symptoms of Mental Illness following Concussions in the Sports Community: A Need for Improvement. *PLoS One.* 2015 Nov 4;10(11):e0141699.

Depression

Lavoie S, Sechrist S, Quach N, et al. Depression in Men and Women One Year Following Traumatic Brain Injury (TBI): A TBI Model Systems Study. *Frontiers in Psychology*. 2017;8:634.

Thorpe D. Concussion, Chronic Traumatic Encephalopathy and Sport in a Legal Setting. *J Law Med*. 2019 Dec;27(2):294-315.

Topolovec-Vranic J, Cullen N, Michalak A, Ouchterlony D, Bhalerao S, Masanic C, Cusimano MD. Evaluation of an online cognitive behavioural therapy program by patients with traumatic brain injury and depression. *Brain Inj*. 2010;24(5):762-72.

Topolovec-Vranic J, Cullen N, Michalak A, Ouchterlony D, Bhalerao S, Masanic C, Cusimano MD. Evaluation of an online cognitive behavioural therapy program by patients with traumatic brain injury and depression. *Brain Inj*. 2010;24(5):762-72.

Vargas G, Rabinowitz A, Meyer J, Arnett PA. Predictors and Prevalence of Postconcussion Depression Symptoms in Collegiate Athletes. *Journal of Athletic Training*. 2015;50(3):250-255.

Cognitive Decline/Dementia

Andersen J, Kot N, Ennis N, Colantonio A, Ouchterlony D, Cusimano MD, Topolovec-Vranic J. Traumatic brain injury and cognitive impairment in men who are homeless. *Disabil Rehabil*. 2014;36(26):2210-5.

Clacy A, Hermens DF, Broadhouse K, Lagopoulos J. Concussion risk and suicide prevention: balancing the risks and benefits of youth sport. *Med J Aust*. 2019 Sep;211(6):247-249.e1.

Ennis N, Roy S, Topolovec-Vranic J. Memory impairment among people who are homeless: a systematic review. *Memory*. 2015;23(5):695-713.

Finkbeiner NW, Max JE, Longman S, Debert C. Knowing What We Don't Know: Long-Term Psychiatric Outcomes following Adult Concussion in Sports. *Can J Psychiatry*. 2016 May;61(5):270-6.

Gaetz M. The multi-factorial origins of Chronic Traumatic Encephalopathy (CTE) symptomology in post-career athletes: The athlete post-career adjustment (AP-CA) model. *Med Hypotheses*. 2017 May;102:130-143.

Knell G, Burkhart SO, Caze TJ, Polousky JD, Kohl HW 3rd, Messiah SE. Association Between Concussion History and Factors Relating to Cognitive, Behavioral, and Emotional Health Among American High School Athletes: A Cross-sectional Analysis. *Am J Sports Med*. 2020 Aug;48(10):2534-2543.

Manley G, Gardner AJ, Schneider KJ, Guskiewicz KM, Bailes J, Cantu RC, Castellani RJ, Turner M, Jordan BD, Randolph C, Dvořák J, Hayden KA, Tator CH, McCrory P, Iverson GL. A systematic review of potential long-term effects of sport-related concussion. *Br J Sports Med*. 2017 Jun;51(12):969-977.

Morissette MP, Prior HJ, Tate RB, Wade J, Leiter JRS. Associations between concussion and risk of diagnosis of psychological and neurological disorders: a retrospective population-based cohort study. *Fam Med Community Health*. 2020 Jul;8(3):e000390.

Terpstra AR, Vasquez BP, Colella B, Tartaglia MC, Tator CH, Mikulis D, Davis KD, Wennberg R, Green REA. Comprehensive Neuropsychiatric and Cognitive Characterization of Former Professional Football Players: Implications for Neurorehabilitation. *Front Neurol*. 2019 Aug 7;10:712.

Thorpe D. Concussion, Chronic Traumatic Encephalopathy and Sport in a Legal Setting. *J Law Med*. 2019 Dec;27(2):294-315.

VanItallie TB. Traumatic brain injury (TBI) in collision sports: Possible mechanisms of transformation into chronic traumatic encephalopathy (CTE). *Metabolism*. 2019 Nov;100S:153943.

Suicide

Brenner LA, Bahraini NH. Concussion and risk of suicide: who, when and under what circumstances? *Nat Rev Neurol*. 2019 Mar;15(3):132-133.

Daugherty J, Waltzman D, Sarmiento K, Xu L. Traumatic Brain Injury -Related Deaths by Race/Ethnicity, Sex, Intent, and Mechanism of Injury – United States, 2000-2027. *MMWR Morb Mortal Wkly Rep* 2019;68:1050-1056. [Traumatic Brain Injury–](#)

Related Deaths by Race/Ethnicity, Sex, Intent, and Mechanism of Injury — United States, 2000–2017 | MMWR (cdc.gov) Accessed June 20, 2021.

Fralick M, Sy E, Hassan A, Burke MJ, Mostofsky E, Karsies T. Association of Concussion With the Risk of Suicide: A Systematic Review and Meta-analysis. *JAMA Neurol.* 2019 Feb 1;76(2):144-151.

Fralick M, Thiruchelvam D, Homer C, Redelmeier T and DA. Risk of suicide after a concussion *CMAJ* April 19, 2016 188 (7) 497-504.

Gaetz M. The multi-factorial origins of Chronic Traumatic Encephalopathy (CTE) symptomatology in post-career athletes: The athlete post-career adjustment (AP-CA) model. *Med Hypotheses.* 2017 May;102:130-143.

Lawrence DW, Hutchison MG. Absolute Risk Estimates of the Association Between Concussion and Suicide. *JAMA Neurol.* 2019 Jul 1;76(7):870-871.

Madsen T, Erlangsen A, Orlovska S, Mofaddy R, Nordentoft M, Benros ME. Association Between Traumatic Brain Injury and Risk of Suicide. *JAMA.* 2018 Aug 14;320(6):580-588

Redelmeier DA, Bhatti JA. On the Link Between Concussions and Suicide. *JAMA Neurol.* 2019 Feb 1;76(2):140-141.

Thorpe D. Concussion, Chronic Traumatic Encephalopathy and Sport in a Legal Setting. *J Law Med.* 2019 Dec;27(2):294-315.

Wortzel HS, Arciniegas DB. A forensic neuropsychiatric approach to traumatic brain injury, aggression, and suicide. *J Am Acad Psychiatry Law.*

Yang MN, Clements-Nolle K, Parrish B, Yang W. Adolescent Concussion and Mental Health Outcomes: A Population-based Study. *Am J Health Behav.* 2019 Mar 1;43(2):258-265.

ADHD

Biederman J, Feinberg L, Chan J, Adeyemo BO, Woodworth KY, Panis W, McGrath N, Bhatnagar S, Spencer TJ, Uchida M, Kenworthy T, Grossman R, Zafonte R, Faraone SV. Mild Traumatic Brain Injury and Attention-Deficit Hyperactivity Disorder in Young Student Athletes. *J Nerv Ment Dis.* 2015 Nov;203(11):813-9.

Beidler E, Schmitt AJ, Matta M, Griger C. Diagnosed and Nondisclosed Sport-Related Concussion: An Exploratory Comparison Study by ADHD Status in Collegiate Athletes. *J Atten Disord.* 2021 May 19:10870547211015432.

Canaris GJ, Steiner JF, Ridgway EC. Do traditional symptoms of hypothyroidism correlate with biochemical disease? *J Gen Intern Med.* 1997 Sep;12(9):544-50.

Chan RC. Attentional deficits in patients with persisting postconcussive complaints: a general deficit or specific component deficit? *J Clin Exp Neuropsychol.* 2002 Dec;24(8):1081-93

Chan RC, Hoosain R, Lee TM, Fan YW, Fong D. Are there sub-types of attentional deficits in patients with persisting post-concussive symptoms? A cluster analytical study. *Brain Inj.* 2003 Feb;17(2):131-48.

Cook NE, Huang D, Silverberg N, Maxwell B, Zafonte R, Berkner P, Iverson GL. Concussion-Like Symptom Reporting in High School Student Athletes with ADHD. *PM R.* 2016 Sep;8(9S):S156.

Kaye S, Sundman MH, Hall EE, Williams E, Patel K, Ketcham CJ. Baseline Neurocognitive Performance and Symptoms in Those With Attention Deficit Hyperactivity Disorders and History of Concussion With Previous Loss of Consciousness. *Front Neurol.* 2019 Apr 24;10:396.

Morissette MP, Prior HJ, Tate RB, Wade J, Leiter JRS. Associations between concussion and risk of diagnosis of psychological and neurological disorders: a retrospective population-based cohort study. *Fam Med Community Health.* 2020 Jul;8(3):e000390.

Narad ME, Kennelly M, Zhang N, Wade SL, Yeates KO, Taylor HG, Epstein JN, Kurowski BG. Secondary Attention-Deficit/Hyperactivity Disorder in Children and Adolescents 5 to 10 Years After Traumatic Brain Injury. *JAMA Pediatr.* 2018 May 1;172(5):437-443.

Oerbeck B, Sundet K, Kase BF, Heyerdahl S. Congenital hypothyroidism: influence of disease severity and L-thyroxine treatment on intellectual, motor, and school-associated outcomes in young adults. *Pediatrics.* 2003 Oct;112(4):923-30

Rovet J, Alvarez M. Thyroid hormone and attention in school-age children with congenital hypothyroidism. *J Child Psychol Psychiatry.* 1996 Jul;37(5):579-85.

Sehnert KW, Croft AC. Basal metabolic temperature vs. laboratory assessment in "posttraumatic hypothyroidism". *J Manipulative Physiol Ther.* 1996 Jan;19(1):6-12.

Shin JH, Ji YB, Jeong JH, Lee SH, Tae K. Two cases of thyroid rupture after blunt cervical trauma. *Ear Nose Throat J.* 2015 Jul;94(7):E21-3

Smits M, Dippel DW, Houston GC, Wielopolski PA, Koudstaal PJ, Hunink MG, van der Lugt A. Postconcussion syndrome after minor head injury: brain activation of working memory and attention. *Hum Brain Mapp.* 2009 Sep;30(9):2789-803.

Stojanovski S, Felsky D, Viviano JD, Shahab S, Bangali R, Burton CL, Devenyi GA, O'Donnell LJ, Szatmari P, Chakravarty MM, Ameis S, Schachar R, Voineskos AN, Wheeler AL. Polygenic Risk and Neural Substrates of Attention-Deficit/Hyperactivity Disorder Symptoms in Youths With a History of Mild Traumatic Brain Injury. *Biol Psychiatry.* 2019 Mar 1;85(5):408-416.

Studer M, Goeggel Simonetti B, Joeris A, Margelisch K, Steinlin M, Roebbers CM, Heinks T. Post-concussive symptoms and neuropsychological performance in the post-acute period following pediatric mild traumatic brain injury. *J Int Neuropsychol Soc.* 2014 Nov;20(10):982-93.

Learning

[Back to School Handout \(cdc.gov\)](#) Retrieved June 20, 2021.

Halstead ME, McAvoy K, Devore CD, Carl R, Lee M, Logan K; Council on Sports Medicine and Fitness; Council on School Health. Returning to learning following a concussion. *Pediatrics.* 2013 Nov;132(5):948-57

[How Concussion Affects Your Learning | NewsActivist](#) Accessed June 20, 2021.

Ransom DM, Vaughan CG, Pratson L, Sady MD, McGill CA, Gioia GA. Academic effects of concussion in children and adolescents. *Pediatrics.* 2015 Jun;135(6):1043-50.

Rohan A. [Children's concussion can cause vision and learning problems, UAB researchers say - Alabama NewsCenter.](#) Accessed June 20, 2021.

Rovet J, Alvarez M. Thyroid hormone and attention in school-age children with congenital hypothyroidism. *J Child Psychol Psychiatry.* 1996 Jul;37(5):579-85.

<https://www.brainline.org/article/concussion-symptoms-toddlers-babies>. Accessed June 20, 2021.

Sehnert KW, Croft AC. Basal metabolic temperature vs. laboratory assessment in "posttraumatic hypothyroidism". *J Manipulative Physiol Ther.* 1996 Jan;19(1):6-12.

Sood N, Godfrey C, Anderson V, Catroppa C. Rehabilitation of Executive function in Paediatric Traumatic brain injury (REPeaT): protocol for a randomized controlled trial for treating working memory and decision-making. *BMC Pediatr.* 2018 Nov 20;18(1):362.

Wasserman EB, Bazarian JJ, Mapstone M, Block R, van Wijngaarden E. Academic Dysfunction After a Concussion Among US High School and College Students. *Am J Public Health.* 2016 Jul;106(7):1247-53.

Substance Abuse

Alcock B, Gallant C, Good D. The relationship between concussion and alcohol consumption among university athletes. *Addict Behav Rep.* 2018 Feb 6;7:58-64.

Bjork JM, Grant SJ. Does traumatic brain injury increase risk for substance abuse? *J Neurotrauma.* 2009 Jul;26(7):1077-82

Cannella LA, Andrews AM, Razmpour R, McGary H, Corbett CB, Kahn J, Ramirez SH. Reward and immune responses in adolescent females following experimental traumatic brain injury. *Behav Brain Res.* 2020 Feb 3;379:112333.

[Concussion and Substance Abuse Packet \(bptech.org\)](#). Retrieved June 20, 2021.

Corrigan JD, Adams RS, Larson MJ. When addiction co-occurs with traumatic brain injury. *Am J Psychiatry.* 2013 Apr;170(4):351-4.

McKinlay A, Corrigan J, Horwood LJ, Fergusson DM. Substance abuse and criminal activities following traumatic brain injury in childhood, adolescence, and early adulthood. *J Head Trauma Rehabil.* 2014 Nov-Dec;29(6):498-506.

Muelbl MJ, Slaker ML, Shah AS, Nawarawong NN, Gerndt CH, Budde MD, Stemper BD, Olsen CM. Effects of Mild Blast Traumatic Brain Injury on Cognitive- and Addiction-Related Behaviors. *Sci Rep*. 2018 Jul 2;8(1):9941.

Padgett DK, Struening EL. Victimization and traumatic injuries among the homeless: associations with alcohol, drug, and mental problems. *Am J Orthopsychiatry*. 1992 Oct;62(4):525-34.

Traumatic Brain Injury, Drug Addiction, and the Developing Teen Brain | NIDA Archives (drugabuse.gov) Retrieved June 20, 2021.

Incarceration

Davies RC, Williams WH, Hinder D, Burgess CN, Mounce LT. (2012). Self-reported traumatic brain injury and postconcussion symptoms in incarcerated youth. *J Head Trauma Rehabil*, 27(3), E21-27.

Durand, E, Chevignard M, Ruet A, Dereix A, Jourdan C, Pradat-Diehl P. (2017). History of traumatic brain injury in prison populations: A systematic review. *Archives of Physical and Rehabilitation Medicine*, 60(2), 95-101.

Elbogen, EB, Wolfe JR, Cueva M, Sullivan, Connor JJ. (2015). Longitudinal Predictors of Criminal Arrest After Traumatic Brain Injury. *J Head Trauma Rehabil*, 30(5), E3–E13.

Farrer TJ, Hedges DW. (2011). Prevalence of traumatic brain injury in incarcerated groups compared to the general population: a meta-analysis. *Prog Neuropsychopharmacol Biol Psychiatry*, 35(2), 390-394.

Leon-Carrion J, Ramos FJ. Blows to the head during development can predispose to violent criminal behaviour: rehabilitation of consequences of head injury is a measure for crime prevention. *Brain Injury* 2003;17(3):207-16.

Matheson FI, McIsaac KE, Fung K, Stewart LA, Wilton G, Keown LA, Nathens AB, Colantonio A, Moineddin R. Association between traumatic brain injury and prison charges: a population-based cohort study. *Brain Inj*. 2020 May 11;34(6):757-763.

McIsaac KE, Moser A, Moineddin R, Keown LA, Wilton G, Stewart LA, Colantonio A, Nathens AB, Matheson FI. Association between traumatic brain injury and incarceration: a population-based cohort study. *CMAJ Open*. 2016 Dec 6;4(4):E746-E753.

Morrell RF, Merbitz CT, Jain S, Jain, S. Traumatic brain injury in prisoners. *Journal of Offender Rehabilitation* 1998;27(3-4):1-8.

Schofield PW, Butler TG, Hollis SJ, Smith NE, Lee SJ, Kelso WM. Traumatic brain injury among Australian prisoners: rates, recurrence and sequelae. *Brain Injury* 2006;20(5):499-506.

Slaughter B, Fann JR, Ehde D. Traumatic brain injury in a county jail population: prevalence, neuropsychological functioning and psychiatric disorders. *Brain Injury* 2003;17(9):731-41.

Traumatic Brain Injury in Prisons and Jails (cdc.gov). Retrieved June 20, 2021